	·		<i>U</i>)
	Application No.	Applicant(s)	
	10/651,627	LINDHOLM ET AL.	
Notice of Allowability	Examiner	Art Unit	
	Elizabeth E. Mulvaney	1774	
The MAILING DATE of this communication appear All claims being allowable, PROSECUTION ON THE MERITS IS herewith (or previously mailed), a Notice of Allowance (PTOL-85) NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT R of the Office or upon petition by the applicant. See 37 CFR 1.313	(OR REMAINS) CLOSED in this apply or other appropriate communication IGHTS. This application is subject to	plication. If not included will be mailed in due co	ourse. THIS
1. \boxtimes This communication is responsive to <u>Terminal Disclaimer</u> .			
2. The allowed claim(s) is/are <u>1-29</u> .			
3. \boxtimes The drawings filed on <u>29 August 2003</u> are accepted by the	Examiner.		
 4. ☐ Acknowledgment is made of a claim for foreign priority una) ☐ All b) ☐ Some* c) ☐ None of the: Certified copies of the priority documents have Certified copies of the priority documents have Copies of the certified copies of the priority do International Bureau (PCT Rule 17.2(a)). * Certified copies not received: 	e been received. e been received in Application No		on from the
Applicant has THREE MONTHS FROM THE "MAILING DATE" noted below. Failure to timely comply will result in ABANDONN THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.		complying with the requi	irements
5. A SUBSTITUTE OATH OR DECLARATION must be subm INFORMAL PATENT APPLICATION (PTO-152) which give			TICE OF
6. ☐ CORRECTED DRAWINGS (as "replacement sheets") mus (a) ☐ including changes required by the Notice of Draftspers 1) ☐ hereto or 2) ☐ to Paper No./Mail Date (b) ☐ including changes required by the attached Examiner's Paper No./Mail Date Identifying indicia such as the application number (see 37 CFR 1 each sheet. Replacement sheet(s) should be labeled as such in the state of the placement sheet (s) should be labeled as such in the state of the placement sheet (s) should be labeled as such in the placement sheet (s) should be labeled as such in the placement sheet (s) should be labeled as such in the placement sheet (s) should be labeled as such in the placement sheet (s) should be labeled as such in the placement sheet (s) should be labeled as such in the placement sheet (s) should be labeled as such in the placement sheet (s) should be labeled as such in the placement sheet (s) should be labeled as such in the placement sheet (s) should be labeled as such in the placement sheet (s) should be labeled as such in the placement sheet (s) should be labeled as such in the placement sheet (s) should be labeled as such in the placement sheet (s) should be labeled as such in the placement sheet (s) should be labeled as such in the placement sheet (s) should be labeled as such in the placement sheet (s) should be labeled as such in the placement sheet (s) should be labeled as such as the placement sheet (s) should be labeled as such as the placement sheet (s) should be labeled as such as the placement sheet (s) should be labeled as such as the placement sheet (s) should be labeled as such as the placement sheet (s) sheet (s) should be labeled as such as the placement sheet (s)	son's Patent Drawing Review(PTO- s Amendment / Comment or in the O .84(c)) should be written on the drawin	office action of any of the base in the front (not the base)	ack) of
7. DEPOSIT OF and/or INFORMATION about the depo attached Examiner's comment regarding REQUIREMENT			te the
Attachment(s) 1. ☑ Notice of References Cited (PTO-892) 2. ☐ Notice of Draftperson's Patent Drawing Review (PTO-948) 3. ☐ Information Disclosure Statements (PTO-1449 or PTO/SB/0 Paper No./Mail Date 4. ☐ Examiner's Comment Regarding Requirement for Deposit of Biological Material	5. Notice of Informal Pages No./Mail Dat Paper No./Mail Dat 7. 2 Examiner's Amendn 8. Examiner's Stateme 9. Other	(PTO-413), e nent/Comment	ance

An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312.

To ensure consideration of such an amendment, it MUST be submitted no later than the payment of the issue fee.

The application has been amended as follows:

In the specification, line 4, after the first "2002", insert "now abandoned".

In the specification, line 4, after the third "2002", insert "now US 6,756,103 issued June 29, 2004".

Allowable Subject Matter

Claims 1-29 are allowed.

The following is an examiner's statement of reasons for allowance: The claims are allowable because the prior art does not teach or suggest the claimed compound or optical recording medium comprising the compound. The art cited disclose recording media having methylene blue compounds.

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

Application/Control Number: 10/651,627 Page 3

Art Unit: 1774

Any inquiry concerning this communication should be directed to Elizabeth Evans Mulvaney at

(571) 272-1527. The examiner can normally be reached Monday through Thursday from 9:00 AM

to 6:00 PM and on alternating Fridays from 9:00 AM to 5:00 PM.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Rena

Dye, can be reached at (571) 272-3186. The fax number for the organization where the application

is assigned is 703-872-9306. Information regarding the status of an application may be obtained

from the Patent Application Information retrieval (PAIR) System. Status information for published

applications may be obtained from either Private PAIR or Public PAIR. Status information for

unpublished applications is available through Private PAIR only. For more information about the

PAIR System, see http://pair-direct.uspto.gov. Should you have questions on access to the Private

PAIR System, contact the Electronic Business Center (EBC) at 866-217-9197 (toll free).

Elizabeth Evans Mulvaney

Primary Examiner

Group 1700